IEEE *Xplore* ©
RELEASE 2.1

Search Result - Print Format

Key: IEEE JNL = IEEE Journal or Magazine,   IEE JNL = IEE Journal or Magazine,   IEEE CNF = IEEE Conference,   II CNF = IEE Conference,   IEEE STD = IEEE Standard

1.   **Digital frequency estimation in burst mode QPSK transmission**
     Bellini, S.; Molinari, C.; Tartara, G.;
     Communications, IEEE Transactions on
     Volume 38, Issue 7, July 1990 Page(s):959 - 961
     IEEE JNL

2.   **Multichannel parallel data link for optical communication**
     Ota, Y.; Swartz, R.G.;
     LTS, IEEE [see also IEEE LCS]
     Volume 2, Issue 2, May 1991 Page(s):24 - 32
     IEEE JNL

3.   **A complete 400 Mb/s burst-mode data OEIC receiver**
     Mactaggart, R.; Bendett, M.; Taylor, S.;
     Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1992. Technical Digest 1992., 14th Annual IEEE
     4-7 Oct. 1992 Page(s):283 - 286
     IEEE CNF

4.   **A fully digital hardware detector for π/4 QPSK**
     LaRosa, C.P.; Carney, M.J.;
     Vehicular Technology Conference, 1992 IEEE 42nd
     10-13 May 1992 Page(s):293 - 297 vol.1
     IEEE CNF

5.   **A fully digital feedforward MSK demodulator with joint frequency offset and symbol timing estimation for burst mode mobile radio**
     Mehlan, R.; Yong-En Chen; Meyr, H.;
     Vehicular Technology, IEEE Transactions on
     Volume 42, Issue 4, Nov. 1993 Page(s):434 - 443
     IEEE JNL

6.   **A complete 400-Mb/s burst-mode data OEIC receiver**
     Mactaggart, I.R.; Bendett, M.; Taylor, S.S.;
     Solid-State Circuits, IEEE Journal of
     Volume 28, Issue 10, Oct. 1993 Page(s):1018 - 1022
     IEEE JNL

7.   **A 660 Mb/s CMOS clock recovery circuit with instantaneous locking for NRZ data and burst-mode transmission**
     Banu, M.; Dunlop, A.;
     Solid-State Circuits Conference, 1993. Digest of Technical Papers. 40th ISSCC., 1993 IEEE International
     24-26 Feb. 1993 Page(s):102 - 103, 270
     IEEE CNF

8.   **High-speed QPSK/OQPSK burst modem VLSIC**
     Kobayashi, K.; Matsumoto, Y.; Sakata, T.; Seki, K.; Kato, S.;
     Communications, 1993. ICC 93. Geneva. Technical Program, Conference Record, IEEE International Conference c
     Volume 3, 23-26 May 1993 Page(s):1735 - 1739 vol.3

IEEE CNF

9. Digital burst mode clock recovery technique for fiber-optic systems
    Eldering, C.A.; Herrerias-Martin, F.; Martin-Gomez, R.; Garcia-Arribas, P.J.;
    Lightwave Technology, Journal of
    Volume 12, Issue 2, Feb. 1994 Page(s):271 - 279
    IEEE JNL

10. High-speed, burst-mode, packet-capable optical receiver and instantaneous clock recovery for optical bus
    operation
    Ota, Y.; Swartz, R.G.; Archer, V.D., III; Korotky, S.K.; Banu, M.; Dunlop, A.E.;
    Lightwave Technology, Journal of
    Volume 12, Issue 2, Feb. 1994 Page(s):325 - 331
    IEEE JNL

11. VLSI-implemented high speed digital burst modem-Applications for satellite video TDMA and wireless LAN
    Matsumoto, Y.; Kobayashi, K.; Sakata, T.; Seki, K.; Kubota, S.; Kato, S.;
    Communications, 1994. ICC 94, SUPERCOMM/ICC '94, Conference Record, Serving Humanity Through
    Communications. IEEE International Conference on
    1-5 May 1994 Page(s):1472 - 1477 vol.3
    IEEE CNF

12. Ultra fast synchronized symbol timing recovery
    Huajing Fu; Feher, K.;
    Consumer Electronics, 1995., Proceedings of International Conference on
    7-9 June 1995 Page(s):156 - 157
    IEEE CNF

13. 150/30 Mb/s CMOS non-oversampled clock and data recovery circuits with instantaneous locking and jitter
    rejection
    Dunlop, A.E.; Fischer, W.C.; Banu, M.; Gabara, T.;
    Solid-State Circuits Conference, 1995. Digest of Technical Papers. 42nd ISSCC, 1995 IEEE International
    15-17 Feb. 1995 Page(s):44 - 45, 338
    IEEE CNF

14. Burst-mode differential receiver for optical packet communication
    Yamada, Y.; Togashi, M.; Habara, K.; Matsunaga, T.;
    Electronics Letters
    Volume 32, Issue 16, 1 Aug. 1996 Page(s):1500 - 1501
    IEE JNL

15. A 156 Mbps CMOS clock recovery circuit for burst-mode transmission
    Nakamura, M.; Ishihara, N.; Akazawa, Y.;
    VLSI Circuits, 1996. Digest of Technical Papers., 1996 Symposium on
    13-15 June 1996 Page(s):122 - 123
    IEEE CNF

16. Reference parameter estimation in the presence of a frequency shift in burst mode PSK transmission
    Andronico, M.; Casale, S.; La Corte, A.;
    Computers and Communications, 1996., Conference Proceedings of the 1996 IEEE Fifteenth Annual International
    Phoenix Conference on
    27-29 March 1996 Page(s):309 - 314
    IEEE CNF

17. 16 QAM burst mode receiver for upstream communication over CATV networks
    Codenie, J.; Xiaohua Wang; Everaert, A.; Lambrecht, P.; Vandewege, J.; De Meyer, K.; Trog, W.; De Vleeshouwer,
    A.;
    Circuits and Systems, 1997. Proceedings of the 40th Midwest Symposium on

Volume 1, 3-6 Aug. 1997 Page(s):573 - 576 vol.1
IEEE CNF

18. **Nonlinear cross-talk reduction by spectrum shaping in subcarrier signaling WDM networks**
Ho, M.C.; Lu, C.L.; Hofmeister, R.T.; Kazovsky, L.G.;
Lasers and Electro-Optics, 1998. CLEO 98. Technical Digest. Summaries of papers presented at the Conference or
3-8 May 1998 Page(s):29 - 30
IEEE CNF

19. **Joint frequency and timing recovery for MSK-type modulation**
Morelli, M.; Mengali, U.;
Communications, IEEE Transactions on
Volume 47, Issue 6, June 1999 Page(s):938 - 946
IEEE JNL

20. **Ultra-fast clock recovery for burst-mode optical packet communication**
Yamada, Y.; Mino, S.; Habara, K.;
Optical Fiber Communication Conference, 1999, and the International Conference on Integrated Optics and Optical
Fiber Communication. OFC/IOOC '99. Technical Digest
Volume 1, 21-26 Feb. 1999 Page(s):114 - 116 vol.1
IEEE CNF

21. **High-speed burst-mode optical interconnects for photonic packet communications**
Habara, K.; Yamada, Y.;
Lasers and Electro-Optics Society 1999 12th Annual Meeting. LEOS '99. IEEE
Volume 2, 8-11 Nov. 1999 Page(s):621 - 622 vol.2
IEEE CNF

22. **All digital 1.62 Mb/s QPSK burst-mode system for FTTC/VDSL transmission**
Gi-Hong Im; Cheol-Jin Park;
Consumer Electronics, IEEE Transactions on
Volume 46, Issue 4, Nov. 2000 Page(s):1088 - 1097
IEEE JNL

23. **A fast synchronizer for burst modems with simultaneous symbol timing and carrier phase estimations**
Dengwei Fu; Willson, A.N., Jr.;
Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE International Symposium on
Volume 3, 28-31 May 2000 Page(s):379 - 382 vol.3
IEEE CNF

24. **Asynchronous symbol timing recovery with adaptive interpolation filter for high data-rate digital mobile rad**
Der-Zheng Liu; Che-Ho Wei;
Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE International Symposium on
Volume 2, 28-31 May 2000 Page(s):85 - 88 vol.2
IEEE CNF

25. **A multibitrate burst-mode CDR circuit with bit-rate discrimination function from 52 to 1244 Mb/s**
Kobayashi, S.; Hashimoto, M.;
Photonics Technology Letters, IEEE
Volume 13, Issue 11, Nov. 2001 Page(s):1221 - 1223
IEEE JNL

26. **Time-transfer performance in burst-mode communication systems**
Mosquera, C.; Scalise, S.; Taricco, G.; Garofalo, G.; Giunta, D.;
Selected Areas in Communications, IEEE Journal on
Volume 19, Issue 12, Dec. 2001 Page(s):2310 - 2319
IEEE JNL

27. **All digital CDMA upstream transmitter and baseband VLSI design of head-end receiver for upstream cable networks**
Keng-Yi Su; Muh-Tain Shieu; Chorng-Kuang Wang;
ASIC, 2002. Proceedings. 2002 IEEE Asia-Pacific Conference on
6-8 Aug. 2002 Page(s):371 - 374
IEEE CNF

28. **Ultrafast nonlinear interferometer (UNI)-based digital optical circuits and their use in packet switching**
Bintjas, C.; Vlachos, K.; Pleros, N.; Avramopoulos, H.;
Lightwave Technology, Journal of
Volume 21, Issue 11, Nov. 2003 Page(s):2629 - 2637
IEEE JNL

29. **A feedforward timing recovery scheme using two samples per symbol: algorithm, performance and implementation issues**
Zhu, W.-P.; Yupeng Yan; Ahmad, M.O.; Swamy, M.N.S.;
Circuits and Systems, 2003. ISCAS '03. Proceedings of the 2003 International Symposium on
Volume 2, 25-28 May 2003 Page(s):II-21 - II-24 vol.2
IEEE CNF

30. **Fast symbol timing recovery techniques for burst-mode digital demodulators**
Nguyen Doan Vo; Tho Le-Ngoc;
Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Semiannual
Volume 4, 22-25 April 2003 Page(s):2609 - 2613 vol.4
IEEE CNF

31. **Coarse timing recovery in burst mode OFDM**
Nguyen, H.H.; Salt, J.E.; Zhiyi Zhou;
Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Semiannual
Volume 1, 22-25 April 2003 Page(s):646 - 650 vol.1
IEEE CNF

32. **A feedforward symbol synchronization scheme for digital receiver**
Zhu, W.-P.; Yupeng Yan; Ahmad, M.O.; Swamy, M.N.S.;
Neural Networks and Signal Processing, 2003. Proceedings of the 2003 International Conference on
Volume 1, 14-17 Dec. 2003 Page(s):587 - 590 Vol.1
IEEE CNF

33. **Fast symbol timing recovery techniques for flexible PAM and QAM modems**
Vo, N.D.; Le-Ngoc, T.;
Electrical and Computer Engineering, 2003. IEEE CCECE 2003. Canadian Conference on
Volume 3, 4-7 May 2003 Page(s):1959 - 1962 vol.3
IEEE CNF

34. **Fast packet routing in a 2.5 Tb/s optical switch fabric with 40 Gb/s duobinary signals at 0.8 b/s/Hz spectral efficiency**
Duelk, M.; Gripp, J.; Simsarian, J.; Bhardwaj, A.; Bernasconi, P.; Zirngibl, M.; Laznicka, O.;
Optical Fiber Communications Conference, 2003. OFC 2003
23-28 March 2003 Page(s):PD8 - 1-3 vol.3
IEEE CNF

35. **Packet-format and network-traffic transparent optical signal processing**
Kehayas, E.; Kanellos, G.T.; Stampoulidis, L.; Tsiokos, D.; Pleros, N.; Guekos, G.; Avramopoulos, H.;
Lightwave Technology, Journal of
Volume 22, Issue 11, Nov. 2004 Page(s):2548 - 2556
IEEE JNL

36. **Joint frequency and timing recovery for pulse shaped. 4-CPFSK with h = 0.25**
Zhijian Yu; Minjian Zhao; Lifeng Liu; Zhiyong Luo;
Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th
Volume 3, 26-29 Sept. 2004 Page(s):1762 - 1765 Vol. 3
IEEE CNF

37. **New data detection and symbol timing recovery approaches for burst optical signal transmission**
Tong Zhao; Nehorai, A.; Porat, B.;
Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04). IEEE International Conference on
Volume 4, 17-21 May 2004 Page(s):iv - 917-20 vol.4
IEEE CNF

38. **Detecting burst-mode optical label or payload generated by OCSS technique using conventional receivers**
Jianjun Yu; Gee-Kung Chang; Chowdhury, A.;
Photonics Technology Letters, IEEE
Volume 17, Issue 7, July 2005 Page(s):1567 - 1569
IEEE JNL

39. **Instantaneous Clockless Data Recovery and Demultiplexing**
Analui, B.; Hajimiri, A.;
Circuits and Systems II: Express Briefs, IEEE Transactions on [see also Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on]
Volume 52, Issue 8, Aug. 2005 Page(s):437 - 441
IEEE JNL

40. **A novel timing recovery circuit with high tracking ability for burst-mode multi-level QAM transmission**
Shirato, Y.; Yoshioka, H.; Watanabe, K.;
Wireless Communications and Networking Conference, 2005 IEEE
Volume 1, 13-17 March 2005 Page(s):578 - 583 Vol. 1
IEEE CNF

41. **Instantaneous clock recovery for burst-mode optical label and payload by using a conventional data receiv**
Jianjun Yu; Gee-Kung Chang; Chowdhury, A.;
Optical Fiber Communication Conference, 2005. Technical Digest. OFC/NFOEC
Volume 3, March 6-11, 2005 Page(s):252 - 254
IEEE CNF